


# Ground Floor Area 1

21.0 °C  
12:00:49

1  
G

Area 3  
Area 2  
Area 1



iQ VIEW8

TREND

# Ground Floor CHB

21.0 °C  
12:01:22

1  
G

Chilled Beam Ref.	PIR	Disable	Ave Temp	Setpoint	Calc. Setpoint	Clg Demand	Htg Demand
CHB V1_1 (G.17)	●	Auto	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_2 (G.31)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_3 (G.30)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_4 (G.29)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_5 (G.28)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_6 (G.27)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_7 (G.26)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_8 (G.11)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_9 (G.19)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_10 (G.25)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_11 (G.03)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_12 (G.04)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %
CHB V1_13 (G.16)	●	Disable	21.0 °C	21.0 °C	21.0 °C	21 %	21 %

iQ VIEW8

TREND

